

**Supplemental Information for:**

**Mapping the Protein-Protein Interface between a Toxin and its  
Cognate Antitoxin from the Bacterial Pathogen *Streptococcus*  
*pyogenes*.**

**Justin B. Sperry<sup>1</sup>, Craig Smith<sup>3</sup>, Michael G. Caparon<sup>4</sup>, Tom Ellenberger<sup>3</sup> and Michael L. Gross<sup>\*2</sup>**

<sup>1</sup>Analytical Research and Development, Pfizer Inc., Chesterfield, MO 63017


<sup>2</sup>Department of Chemistry, Washington University in St. Louis, St. Louis, MO 63130

<sup>3</sup>Department of Biochemistry and Molecular Biophysics and <sup>4</sup>Department of Molecular Microbiology, Washington University in St. Louis, St. Louis, MO 63110

\* To whom correspondence should be addressed: Department of Chemistry, Washington University in St. Louis, Campus Box 1134, St. Louis, MO 63130. Telephone: (314) 935-4814, Fax: (314) 935-7484, E-mail: mgross@wustl.edu


## Section 1: Regions of IFS Unaffected by the binding of SPN

IFS-alone (squares) and 1:1 IFS-SPN complex (diamonds).



## Section 2: Regions of SPN Unaffected by the binding of IFS

SPN-alone (triangles) and 1:1 IFS-SPN complex (circles).



## Section 2 continued: Regions of SPN Unaffected by the binding of IFS

SPN-alone (triangles) and 1:1 IFS-SPN complex (circles).

